

starline[®]
★250

Basic Profiles with Extension



easy to clip on



Starline[®] 250

Our trunking system has been developed to provide a practical solution for the supply of power, data and telecommunication cabling in new and refurbished buildings. In response to an increased demand for cable management, especially in the modern office environment, Univolt have designed the Starline system in an aesthetically pleasing profile and finish.

This modular system is not only available in three standard trunking assemblies, Univolt engineers recently developed a clip on module (plus all necessary fittings) for enlargement to a 4th compartment – the STARLINE 250.

	skirting trunking		external angle		internal angle	
50x250mm	SLS 50/250	art	SAE 50/250		SIE 50/250	
	3m	ps	1		1	
	086 045	pl	20		20	
		ref	086 011		086 012	
50x250mm	SLC 50/250	art	CAE 50/250		CIE 50/250	
	3m	ps	1		1	
	086 047	pl	20		20	
		ref	086 018		086 019	
50x250mm	SLQ 50/250	art	QAE 50/250		QIE 50/250	
	3m	ps	1		1	
	086 048	pl	20		20	
		ref	086 024		086 025	

Colour: white (RAL 9010)
 In accordance with: EN 50085, BS 4678 Part 4

Standard length: available in 2m or 3m standard length
 (reference numbers refer to versions in 3m length)

Material	Code	Mechan.	UV stabil.	Temp.
PVC-U	EN 211	> 1000 N	<input checked="" type="checkbox"/>	-25°C/+60°C

flat angle



upward

downward

cover joint



stop end



left

right

SFWU 50/250	SFWD 50/250	SK 50/250	SEL 50/250	SER 50/250
1	1	5	5	5
5	5	100	80	80
086 016	086 017	086 013	086 014	086 015



CFW 50/250	CK 50/250	CE 50/250
1	5	5
5	100	80
086 023	086 020	086 021



QFW 50/250	QK 50/250	QE 50/250
1	5	5
5	100	100
086 028	086 026	086 027

New Extension

The new extension profile provides a simple and effective way to enhance the capacity of our trunking systems, either for existing or completely new Starline installations. Simply by snap-on mounting you can create an additional compartment with a width of 80mm – suitable for all standard outlets.



Your local stockist:



United Kingdom:

UNIVOLT (UK) LTD
Univolt House
20 Carlisle Road
London NW9 0HL
Tel.: +44 / 208 200 4433
Fax: +44 / 208 205 0187

sales@univolt.co.uk
www.univolt.co.uk

International Sales:

Dietzel GmbH
Export Department
A-1111 Vienna
1. Haidequerstraße 3-5
Tel.: +43 1/ 760 76-0
Fax: +43 1/ 760 76-700

export@dietzel-univolt.com
www.dietzel-univolt.com

DIETZEL
UNIVOLT